



Attorney Docket No. 1713.1004

cfc

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Junichi AKAMA et al.

Application No.: 10/613,028

ATTENTION

Confirmation No.: 9384

CERTIFICATE OF CORRECTION

Filed: July 7, 2003

BRANCH

U.S. Patent No.: 6,981,898

Issued: January 3, 2006

For: CONNECTOR

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Certificate
MAY 09 2006
of Correction

Sir:

Patentee(s) respectfully request(s) that a Certificate of Correction be issued in the subject patent, pursuant to 35 U.S.C. §254 and 37 C.F.R. §1.322, to correct the mistake(s) shown on the attached Form PTO-1050.

Since the mistakes are Patent Office mistakes, it is believed that no fee is required.

Respectfully submitted,

STAAS & HALSEY LLP

Date:

May 11, 2006

By:

H. J. Staas
H. J. Staas
Registration No. 22,010

1201 New York Ave, N.W., 7th Floor
Washington, D.C. 20005
Telephone: (202) 434-1500
Facsimile: (202) 434-1501

MAY 09 2006

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO : 6,981,898

DATED : January 3, 2006

INVENTOR(S) : Junichi AKAMA et al.

Column 25, Line 9, delete "betweeneach" and insert - - between each - - therefor.

Column 25, Line 32, after "wherein" insert - - : - -.

Column 26, Line 37, after "housing" insert - - , - -.

Column 26, Line 41, delete "and" and insert - - therefor.

MAILING ADDRESS OF SENDER:

STAAS & HALSEY LLP
1201 New York Ave., N.W.
7th Floor
Washington, DC 20005

PATENT NO. 6,981,898

No. of add'l copies
@ 50¢ per page

⇒

MAY 09 2006